# **Safety Data Sheet**

Issue Date: 18-Jan-2003 Revision Date: 05-Sep-2014 Version 1

## 1. IDENTIFICATION

**Product Identifier** 

Product Name Orange-A-Peel

Other means of identification

**SDS** # GAT-017

Recommended use of the chemical and restrictions on use

**Recommended Use** For industrial use.

Details of the supplier of the safety data sheet

Supplier Address Gator Chemical 2202 Industrial Boulevard Sarasota, FL 34234

**Emergency Telephone Number** 

Company Phone Number 941-225-7657

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Colorless liquid Physical State Liquid Odor Honeysuckle

#### Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	5-10

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

First Aid Measures

**Eye Contact** Remove contact lenses. Flush eyes with clear running water for 15 minutes while holding

eyelids open; if irritation persists, seek medical attention.

**Skin Contact** Remove contaminated clothing; wash affected area with soap and water; launder

contaminated clothing before reuse; if irritation persists, seek medical attention.

Inhalation Remove affected person to fresh air; provide oxygen if breathing is difficult; if affected

person is not breathing, administer CPR and seek emergency medical attention.

**Ingestion** Give two glasses of water for dilution; Do not induce vomiting; never give anything by

mouth to an unconscious person; seek medical attention.

GAT-017 - Orange-A-Peel Revision Date: 05-Sep-2014

#### Most important symptoms and effects

Symptoms INHALATION: High concentrations are irritating to the respiratory tract; may cause

headache, dizziness, nausea, vomiting, and malaise.

SKIN: Brief contact may cause slight irritation; prolonged contact may cause moderate

reddening, swelling, and possible necrosis.

EYES: Contact causes severe irritation and pain associated with redness and swelling of

the conjunctiva.

INGESTION: Moderately toxic; may cause headache, dizziness, diarrhea, and general

weakness; large doses may result in red blood cell hemolysis.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Preexisting skin,

eye, or respiratory disorders may become aggravated through prolonged exposure.

## 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Carbon dioxide (CO2). Water. Water spray (fog). Dry chemical. Foam.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Combustion products may be toxic.

Hazardous Combustion Products Carbon oxides. Hydrocarbons. Fumes and smoke.

#### Protective equipment and precautions for firefighters

Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Contain and collect with an inert absorbent and place into an appropriate container for

disposal. Wash spill area with plenty of water.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Keep

containers closed when not in use. Protect containers from abuse.

Revision Date: 05-Sep-2014 GAT-017 - Orange-A-Peel

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Protect from

extreme temperatures.

**Incompatible Materials** Strong oxidizers. Strong acids.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	

## **Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Wear protective eyeglasses or chemical safety goggles.

**Skin and Body Protection** 

Neoprene or rubber gloves with cuffs.

**Respiratory Protection** None required while threshold limits are kept below maximum allowable concentrations; if

TWA exceeds limits, NIOSH approved respirator must be worn. Respiratory protection must

(Water = 1)

be provided in accordance with OSHA regulations (29 CFR1910.134) or European

Standard EN 149, as applicable.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

**Physical State** Liquid

**Appearance** Orange Liquid Odor Orange

Color Not determined Orange **Odor Threshold** 

Remarks • Method **Property** <u>Values</u>

pН 7.0 - 7.5

**Melting Point/Freezing Point** Not determined **Boiling Point/Boiling Range** 100°C / 212°F **Flash Point** Non-flammable

**Evaporation Rate** 

Flammability (Solid, Gas) Liquid-Not Applicable **Upper Flammability Limits** Not Applicable **Lower Flammability Limit** Not Applicable

**Vapor Pressure** 

**Vapor Density** (Air=1)(Water = 1)

17 mm Hg @ 20°C

**Specific Gravity** 0.980 **Water Solubility** Completely soluble Solubility in other solvents Not determined

**Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Revision Date: 05-Sep-2014 GAT-017 - Orange-A-Peel

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

## **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Protect from extreme temperatures. Keep from freezing. Keep separated from incompatible substances. Keep out of reach of children.

# **Incompatible Materials**

Strong oxidizers. Strong acids.

### **Hazardous Decomposition Products**

Carbon oxides. Hydrocarbons. Fumes and smoke.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

Avoid contact with eyes. **Eye Contact** 

**Skin Contact** Avoid contact with skin.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not ingest.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870	= 72.6 mg/L (Rat) 4 h
67-63-0		mg/kg (Rabbit)	

## Information on physical, chemical and toxicological effects

Please see section 4 of this SDS for symptoms. **Symptoms** 

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol		Group 3		X
67-63-0		•		

## Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

GAT-017 - Orange-A-Peel Revision Date: 05-Sep-2014

#### **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Isopropyl Alcohol	1000: 96 h Desmodesmus	9640: 96 h Pimephales		13299: 48 h Daphnia magna
67-63-0	subspicatus mg/L EC50	promelas mg/L LC50 flow-		mg/L EC50
	1000: 72 h Desmodesmus	through 11130: 96 h		_
	subspicatus mg/L EC50	Pimephales promelas mg/L		
		LC50 static 1400000: 96 h		
		Lepomis macrochirus µg/L		
		LC50		

## Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

### **Mobility**

Chemical Name	Partition Coefficient
Isopropyl Alcohol	0.05
67-63-0	

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**California Hazardous Waste Status** 

James ma maran a da de 17 a de		
Chemical Name	California Hazardous Waste Status	
Isopropyl Alcohol	Toxic	
67-63-0	Ignitable	

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

GAT-017 - Orange-A-Peel Revision Date: 05-Sep-2014

# 15. REGULATORY INFORMATION

## **International Inventories**

Not determined

## US Federal Regulations

#### **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	5-10	1.0

#### **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol	X	X	X
67-63-0			

# **16. OTHER INFORMATION**

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	0	0	Not determined

Issue Date:18-Jan-2003Revision Date:05-Sep-2014Revision Note:New format

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**