Safety Data Sheet

Issue Date: 18-Jan-2003 Revision Date: 05-Sep-2014 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Lift It NF

Other means of identification

SDS # GAT-020

UN/ID No NA1760

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use.

Details of the supplier of the safety data sheet

Supplier Address Gator Chemical 2202 Industrial Boulevard Sarasota, FL 34234

Emergency Telephone Number

Company Phone Number 941-225-7657

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Pink liquid Physical State Liquid Odor Characteristic

Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Get medical attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: rinse mouth. Do NOT induce vomiting Immediately call a poison center or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium metasilicate	6834-92-0	3-7
Potassium hydroxide	1310-58-3	1-5
Dipropylene Glycol Monomethyl Ether (DPM)	34590-94-8	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Wash skin

with soap and water. DO NOT attempt to neutralize with chemical agents. Get medical

attention.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Wash mouth and nasal passages with water repeatedly. Immediately call a

poison center or doctor/physician.

Ingestion IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Give large quantities of water.

Give diluted vinegar or lemon juice to conscious person. Immediately call a poison center or

doctor/physician.

Most important symptoms and effects

Symptoms EYES: CORROSIVE; vapors, liquid, and mists are extremely corrosive to the eyes. Brief

contact of the vapors will be severely irritating. Brief contact of the liquid or mists will severely damage the eyes; prolonged contact may cause permanent eye injury, may be

followed by blindness.

SKIN: Corrosive; chemical burns may result from contact; destructive to tissue.

INHALATION: Corrosive, may cause damage to upper respiratory tract, mucous

membranes, and lung tissue.

INGESTION: Corrosive; may cause severe burns and tissue perforation to digestive tract and mucous membranes; may cause gastric distress, stomach pains, and vomiting; may

result in red blood cell hemolysis.

Indication of any immediate medical attention and special treatment needed

Notes to Physician MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Preexisting skin,

eye, or respiratory disorders may become aggravated through prolonged exposure.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Water. Water spray (fog). Dry chemical. Foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Combustion products may be toxic.

Hazardous Combustion Products Carbon oxides. Hydrocarbons. Fumes and smoke.

Protective equipment and precautions for firefighters

Keep containers cool with water spray to prevent container rupture due to steam buildup; CAUTION - material is corrosive. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-UpContain and collect with an inert absorbent and place into an appropriate container for

disposal. For spills in excess of allowable limits (RQ) notify the National Response Center (800) 424-8802; refer to 40 CFR 302 for detailed instructions concerning reporting

requirements.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face,

hands, and any exposed skin thoroughly after handling. Do not breathe

dust/fume/gas/mist/vapors/spray. Keep containers closed when not in use. Protect

containers from abuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Protect from extreme temperatures. Keep away from oxidizers and incompatible

materials.

Incompatible Materials Strong oxidizers. Strong acids. Strong alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium metasilicate 6834-92-0	2 mg/m ³	2 mg/m ³	-
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m³ (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m³ STEL: 150 ppm STEL: 900 mg/m³

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear protective eyeglasses or chemical safety goggles.

Skin and Body Protection Neoprene or rubber gloves with cuffs. Coveralls, apron or other equipment should be worn

to minimize skin contact.

Respiratory ProtectionNone required while threshold limits are kept below maximum allowable concentrations; if

TWA exceeds limits, NIOSH approved respirator must be worn. Respiratory protection must

(Water = 1)

be provided in accordance with OSHA regulations (29 CFR1910.134) or European

Standard EN 149, as applicable.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical StateLiquidAppearancePink liquidOdorCharacteristicColorPinkOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 13.3

Melting Point/Freezing Point
Boiling Point/Boiling RangeNot determined
100°C / 212°FFlash PointNon-flammable

Evaporation Rate <1

Flammability (Solid, Gas) Liquid-Not Applicable

Upper Flammability LimitsNot ApplicableLower Flammability LimitNot ApplicableVapor Pressure17 mm Hg @ 20°C

Vapor Density>1(Air=1)Specific Gravity1.137(Water = 1)

Not determined

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined

Oxidizing Properties

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Protect from extreme temperatures. Keep separated from incompatible substances. Keep out of reach of children.

Incompatible Materials

Strong oxidizers. Strong acids. Strong alkalis.

Hazardous Decomposition Products

Carbon oxides. Hydrocarbons. Fumes and smoke.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium metasilicate 6834-92-0	= 600 mg/kg (Rat)	-	-
Potassium hydroxide 1310-58-3	= 214 mg/kg(Rat)	-	-
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	= 5230 mg/kg(Rat)	= 9500 mg/kg(Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50		216: 96 h Daphnia magna mg/L EC50
Potassium hydroxide 1310-58-3		80: 96 h Gambusia affinis mg/L LC50 static		
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8		10000: 96 h Pimephales promelas mg/L LC50 static		1919: 48 h Daphnia magna mg/L LC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Potassium hydroxide 1310-58-3	0.83
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	-0.064

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium hydroxide	Toxic
1310-58-3	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No NA1760

Proper Shipping Name Compounds, cleaning liquid (Potassium hydroxide)

Hazard Class 8
Packing Group III

IATA

UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Potassium hydroxide)

Hazard Class 8
Packing Group III

IMDG

UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Potassium hydroxide)

Hazard Class 8
Packing Group III

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold
			Values %
Dipropylene Glycol Monomethyl Ether (DPM) - 34590-94-8	34590-94-8	1-5	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3 (1-5)	1000 lb			X

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	X	Х
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	Х	Х	Х

16. OTHER INFORMATION

NFPAHealth Hazards
Not determinedFlammability
Not determinedInstability
Not determinedSpecial Hazards
Not determinedHMISHealth Hazards
1Flammability
0Physical Hazards
0Personal Protection
Not determined

Issue Date:18-Jan-2003Revision Date:05-Sep-2014Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet