# SAFETY DATA SHEET

Issue Date 23-Feb-2016 Revision Date 23-Feb-2016 Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

**Product Name** DC-20 Foam Away

Other means of identification

**SDS#** JC-011-016

Details of the supplier of the safety data sheet

Company Name GATOR CHEMICAL

2202 INDUSTRIAL BLVD SARASOTA, FL, 34234

941-225-7657

Emergency telephone number

Emergency Telephone INFOTRAC 1-800-535-5053

#### 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This product has been classified in accordance with the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified

### Label elements

# **Emergency Overview**

Appearance Clear Physical state Liquid Odor Lemon

# **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

## Hazards not otherwise classified (HNOC)

#### Other Information

Unknown Acute Toxicity 1.94% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which at their given concentration, are considered to be hazardous to health.

### 4. FIRST AID MEASURES

# First aid measures

**Skin Contact** Wash off immediately with plenty of water. Wash skin with soap and water.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No Information available.

#### Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

#### 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible materials**None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** Exposure guidelines noted for ingredient(s).

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Monoethanolamine	STEL: 6 ppm	TWA: 3 ppm	IDLH: 30 ppm
141-43-5	TWA: 3 ppm	TWA: 6 mg/m <sup>3</sup>	TWA: 3 ppm
		(vacated) TWA: 3 ppm	TWA: 8 mg/m <sup>3</sup>
		(vacated) TWA: 8 mg/m <sup>3</sup>	STEL: 6 ppm
		(vacated) STEL: 6 ppm	STEL: 15 mg/m <sup>3</sup>
		(vacated) STEL: 15 mg/m <sup>3</sup>	
Diethanolamine	TWA: 1 mg/m <sup>3</sup> inhalable fraction	(vacated) TWA: 3 ppm	TWA: 3 ppm
111-42-2	and vapor	(vacated) TWA: 15 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>
	S*	_	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** No special technical protective measures are necessary.

**Skin and body protection**No special technical protective measures are necessary. Wear protective gloves and

protective clothing. Prolonged contact may cause redness and irritation. Wear protective

gloves and protective clothing if needed.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Liquid
Appearance Clear
Color Colorless
Odor Lemon

Odor threshold No Information available

Property Values Remarks • Method

 pH
 7.0 - 8.0

 Specific Gravity
 1.01

**Viscosity** <25 cP @ 25°C

Melting point/freezing point

No Information available

Flash point Above 200°F

**Boiling point / boiling range** >= 100 °C / 212 ° F (at 760 mm Hg)

Evaporation rate No Information available Flammability (solid, gas) No data available

Flammability Limits in Air

Upper flammability limit:No Information availableLower flammability limit:No Information availableVapor pressureNo Information availableVapor densityNo Information available

Water solubility Complete

Partition coefficientNo Information availableAutoignition temperatureNo Information availableDecomposition temperatureNo Information available

**Other Information** 

Density Lbs/Gal 8.42 VOC Content (%) 0.06

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### **Conditions to avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** No data available. Avoid breathing vapors or mists.

**Eye contact** No data available. Avoid contact with eyes.

Skin Contact No data available. No known effect based on information supplied.

**Ingestion** No data available. Not an expected route of exposure. Do not taste or swallow.

#### Information on toxicological effects

**Symptoms** No Information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No Information available.

#### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 1.94% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

**ATEmix (oral)** 34,435.00 mg/kg **ATEmix (dermal)** 53,962.00 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

1.94% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Tall Oil Fatty Acid	1000: 72 h Pseudokirchneriella	-	-
61790-12-3	subcapitata mg/L EC50		
Straight Run Middle Distallates	-	10000: 96 h Pimephales promelas	-
(Petroleum)		mg/L LC50 static 35: 96 h	
64742-46-7		Pimephales promelas mg/L LC50	
		flow-through	
Monoethanolamine	15: 72 h Desmodesmus subspicatus		65: 48 h Daphnia magna mg/L
141-43-5	mg/L EC50	macrochirus mg/L LC50 static 200:	EC50
		96 h Oncorhynchus mykiss mg/L	
		LC50 flow-through 114 - 196: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		static 227: 96 h Pimephales	
		promelas mg/L LC50 flow-through	
		3684: 96 h Brachydanio rerio mg/L	
		LC50 static	
Diethanolamine	7.8: 72 h Desmodesmus	4460 - 4980: 96 h Pimephales	55: 48 h Daphnia magna mg/L
111-42-2	subspicatus mg/L EC50 2.1 - 2.3: 96		EC50
	h Pseudokirchneriella subcapitata	600 - 1000: 96 h Lepomis	
	mg/L EC50	macrochirus mg/L LC50 static 1200	
		- 1580: 96 h Pimephales promelas	
		mg/L LC50 static	

# Persistence and degradability

No Information available.

### **Bioaccumulation**

No Information available.

Other adverse effects No Information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

### 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for

shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

**DOT** Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Diethanolamine - 111-42-2	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Monoethanolamine 141-43-5	X	X	X
Diethanolamine 111-42-2	Х	X	Х

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

16 1	ЭΤЦ			овл А	TION
10. (	JIN	ER IIN	ГОГ	KIVIA	TION

NFPA	Health hazards 0	Flammability 0	Instability 0	Physical and Chemical
<u>HMIS</u>	Health hazards 0	Flammability 0	Physical hazards 0	Properties Yes Personal protection X

 Issue Date
 23-Feb-2016

 Revision Date
 23-Feb-2016

**Revision Note** 

No Information available

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**