SAFETY DATA SHEET

Issuing Date 16-May-2013	Revision Date	16-May-2013	Revision Number 0
1. IDENTIFICATION OF TH	IE SUBSTANCE/PR	EPARATION AND THE	COMPANY/UNDERTAKING
GHS product identifier			
Product Name	Reclaim Plus		
Other means of identification			
Product Code(s)	505		
UN-Number	UN1759		
Synonyms	505		
Recommended use of the chemica	I and restrictions on use	2	
Recommended Use	Institutional dish machi	ne detergent	
Uses advised against	No information available	e	
Supplier's details			
Supplier Address Envirochem, Inc 425 Whitehead Ave South River, NJ 08882 TEL: 732-238-6700			
Emergency telephone number			
Emergency Telephone Number	INFOTRAC 1-800-535	5-5053	
	2. HAZARDS	IDENTIFICATION	
Classification			

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)


Acute Oral Toxicity	Category 4
Acute Dermal Toxicity	Category 4
Skin Corrosion/Irritation	Category 1 Subcategory 1A
Serious Eye Damage/Eye Irritation	Category 1
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word

Danger



Precautionary Statements

Prevention

- · Wear protective gloves/protective clothing/eye protection/face protection
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area

General Advice

· Immediately call a POISON CENTER or doctor/physician

Eyes

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

• Immediately call a POISON CENTER or doctor/physician.

Skin

- · Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- · Call a POISON CENTER or doctor/physician if you feel unwell

Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting

Storage

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

505

Chemical Name	CAS-No	Weight %	Trade secret
Pentasodium triphosphate	7758-29-4	< 30	*
Sodium carbonate	497-19-8	< 25	*
Sodium metasilicate	6834-92-0	< 25	*
Sodium hydroxide	1310-73-2	< 25	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use. Immediate medical attention is required.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
Ingestion	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediate medical attention is required.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None

Protective Equipment and Precautions for Firefighters

Protect from irritating mists and corrosive solutiions with pressure demand, self-contained respirator and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Stop leak if you can do it without risk. If spilled, take caution, as material can cause surfaces to become very slippery.

Environmental Precautions

Environmental Precautions Dispose of contents/container to an approved waste disposal plant.

Methods and materials for containment and cleaning up

Methods for Containment	Stop leak if you can do it without risk
Methods for Cleaning Up	Use NIOSH certified gas mask with canister for Chlorine. If possible, remove material to open air and flood with water. Contain spill, dilute with water and neutralize as required. Wash away small spills with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Do not take internally. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature. Keep from freezing. Keep container closed when not in use.
Incompatible Products	Strong oxidizing agents. Acids. Aluminium. Soft metals.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Measures Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Chemical resistant goggles must be worn. Face-shield.
Skin and Body Protection Respiratory Protection	Rubber boots. Apron. Rubber gloves. Latex gloves Particle filtering face piece
, , ,	

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Odor

Powder No information available Appearance Odor Threshold White No information available

<u>Property</u> pH Melting Point/Range <u>Values</u> 13.0 No data available Remarks/ - Method (4 % solution) None known

Boiling Point/Boiling Range	> 100 °C /> 212 °F	None known
Flash Point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Relative Density	No data available	None known
Specific Gravity	No data available.	None known
Water Solubility	100%	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/wat	erNo data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known
Flammable Properties	Not flammable	
Explosive Properties	No data available	
Oxidizing Properties	No data available	
Other information		
VOC Content (%)	No data available	

10. STABILITY AND REACTIVITY

Reactivity

No data available. Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Incompatible products. Extreme heat. Keep away from direct sunlight.

Incompatible materials

Strong oxidizing agents. Acids. Aluminium. Soft metals.

Hazardous decomposition products

Chlorine gas. Toxic fumes

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

May cause irritation of respiratory tract.
Causes serious eye damage.
Harmful in contact with skin. Causes severe skin burns.

Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
Delayed and immediate effects ar	ed also chronic effects from short and long term exposure
Sensitization Mutagenic Effects Carcinogenicity	No information available. No information available. Contains no ingredient listed as a carcinogen.
Reproductive Toxicity STOT - single exposure STOT - repeated exposure Aspiration Hazard	No information available. No information available. No information available. No information available.
Numerical measures of texicity	Product

Numerical measures of toxicity - Product

The following values are calculated	l base	d on chapter 3.1 of the GHS document:
LD50 Oral	1423	mg/kg; Acute toxicity estimate
LD50 Dermal	1350	mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)	
Pentasodium triphosphate		LC50 48 h: = 1650 mg/L (Leuciscus idus)			
Sodium carbonate	EC50 120 h: = 242 mg/L (Nitzschia)	LC50 96 h: 310 - 1220 mg/L static (Pimephales promelas) LC50 96 h: = 300 mg/L static (Lepomis macrochirus)		EC50 48 h: = 265 mg/L (Daphnia magna)	
Sodium metasilicate		LC50 96 h: = 210 mg/L (Brachydanio rerio) LC50 96 h: = 210 mg/L semi-static (Brachydanio rerio)		EC50 96 h: = 216 mg/L (Daphnia magna)	
Sodium hydroxide		LC50 96 h: = 45.4 mg/L static (Oncorhynchus mykiss)			

Persistence and Degradability N

No information available.

Bioaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging

Do not re-use empty containers.

Chemical Name	California Hazardous Waste		
Sodium carbonate	Corrosive		
Sodium hydroxide	Toxic Corrosive		

14. TRANSPORT INFORMATION

DOT

DOT_ UN-Number Proper shipping name Hazard Class Packing Group Reportable Quantity (RQ) Description Emergency Response Guide Number	UN1759 Corrosive solids, n.o.s. 8 II Sodium hydroxide: RQ kg= 2063.64 UN1759, Corrosive solids, n.o.s. (Sodium hydroxide), 8, II, RQ 154
<u>TDG</u> UN-Number Proper Shipping Name Hazard Class Packing Group Description	UN1759 Corrosive solid, n.o.s. 8 II UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II
<u>MEX</u> UN-Number Proper Shipping Name Hazard Class Packing Group Description	UN1759 Corrosive solid, n.o.s. 8 II UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II
ICAO UN-Number Proper shipping name Hazard Class Packing Group Description	UN1759 Corrosive solid, n.o.s. 8 II UN1759, Corrosive solid, n.o.s., 8, II
IATA UN-Number Proper Shipping Name Hazard Class Packing Group ERG Code Description	UN1759 Corrosive solid, n.o.s. 8 II 8L UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II
IMDG/IMO UN-Number Proper Shipping Name Hazard Class Packing Group EmS No. Description	UN1759 Corrosive solid, n.o.s. 8 II F-A, S-B UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II
<u>RID</u> UN-Number Proper Shipping Name Hazard Class Packing Group Classification Code Description	UN1759 Corrosive solid, n.o.s. 8 II C10 UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II

ADR	
UN-Number	UN1759
Proper Shipping Name	Corrosive solid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C10
Tunnel Restriction Code	(E)
Description	UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II, (E)
ADR/RID-Labels	8
ADN	
Proper Shipping Name	Corrosive solid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C10
Special Provisions	274
Description	UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II
Limited Quantity	1 kg

15. REGULATORY INFORMATION

International Inventories IECSC

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pentasodium triphosphate				Х
Sodium hydroxide	1000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Pentasodium triphosphate	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Initial Release.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Pentasodium triphosphate		Х	Х		
Sodium hydroxide	Х	Х	Х		Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 3	Flammability	0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 3	Flammability	0	Physical Hazard 0	Personal Protection X
Prepared By Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501					
Issuing Date Revision Date	16-May- 16-May-				

General Disclaimer

Revision Note

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet